



CATTLE WORMER CUBES
TYPE C MEDICATED FEED

For the removal and control of:

- ◆ **Lungworms:** (*Dictyocaulus viviparus*)
- ◆ **Stomach worms:** Barberpole worms (*Haemonchus*, *Trichostrongylus*), Brown Stomach Worms (*Ostertagia ostertagi*), Small stomach worm (*Trichostrongylus axei*)
- ◆ **Intestinal worms:** Hookworm (*Bunostomum phlebotomum*) Thread-necked intestinal worm (*Nematodirus helvetianus*), Small intestinal worms (*Cooperia punctata* & *C. Oncophora*)
- ◆ **Bankrupt worms:** (*Trichostrongylus colubriformis*)
- ◆ **Nodular worms:** (*Oesophagostomum radiatum*)

ACTIVE DRUG INGREDIENT:

Fenbendazole..... 908 gm/ton

GUARANTEED ANALYSIS:

Crude Protein, Min 20.00%
Crude Fat, Min 2.50%
Crude Fiber, Max 15.00%

INGREDIENTS:

Cottonseed Meal, Wheat Middlings, Rice Mill By Product, Corn Meal, Vitamin A Supplement, Vitamin D-3 Supplement, Animal Fat Stabilized With B.H.A. (A Preservative), Cane Molasses, Monocalcium Phosphate, Dicalcium Phosphate, Ground Limestone, Salt, Manganous Oxide, Magnesium Oxide, Sodium Selenite, Copper Sulfate, Cobalt Carbonate, Ferrous Sulfate, Zinc Oxide and Calcium Iodate.

BEEF AND DAIRY CATTLE DOSAGE:

5 MG fenbendazole per kg body weight in a **ONE (1) DAY TREATMENT** (2.27 mg fenbendazole per pound of body weight.)

FEEDING DIRECTIONS:

Feed as the sole ration for **ONE (1) DAY**. Feed at the rate of 0.5 pounds per 100 pounds of body weight to provide 2.27 milligrams fenbendazole per pound of body weight.

Feeding Rates of FRM Cattle Wormer 908 g/ton Safe-Guard Cubes to cattle of various body weights.

Cattle Weight	Amount of Type C Feed
250 lbs.	1.25 lbs.
500 lbs.	2.50 lbs.
1000 lbs.	5.00 lbs.

WARNING:

FEED AS SOLE RATION OR TOPDRESS FOR ONE DAY. RETREATMENT MAY BE NEEDED AFTER 4-6 WEEKS.
CATTLE MUST NOT BE SLAUGHTERED WITHIN 13 DAYS FOLLOWING LAST TREATMENT. FOR DAIRY CATTLE, THE MILK DISCARD TIME IS ZERO HOURS. A WITHDRAWAL PERIOD HAS NOT BEEN ESTABLISHED FOR THIS PRODUCT IN PRE-RUMINATING CALVES. DO NOT USE IN CALVES TO BE PROCESSED FOR VEAL.

CONSULT YOUR VETERINARIAN FOR ASSISTANCE IN THE DIAGNOSIS, TREATMENT, AND CONTROL OF PARASITISM.

Safe-Guard® (fenbendazole) a registered trademark of Intervet Inc., d/b/a Merck Animal Health, a subsidiary of Merck & Co. Inc. All rights reserved.

NADA #131-675, Approved by FDA

NET WT. 50 LBS. (22.68 KGS.)

Manufactured by:

FLINT RIVER MILLS, INC.

Bainbridge, Georgia

800.841.8502



7 115499 103570 8

J3019/3570